EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(tag near2 extension) same javaServer and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 12:54
L2	1	(tag$1 with extension) same javaServer and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 12:55
L3	33	(tag$1 with extension) same (javaServer jsp java) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 12:56
L4	22	(tag$1 near4 extension) same (javaServer jsp java) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 12:56
L5	44	(tag$1 near4 exten$5) same (javaServer jsp java) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 13:08
L6	9	((tag$1 near4 exten$5) same (javaServer jsp java)).ab. and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 12:57
L7	0	(tag$1 near4 exten$5) and (jjava) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:16
L8	215	(tag$1 near4 exten$5) and (java) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 13:12

EAST Search History

L9	3	("6807559").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 13:12
L10	404	(collect$3 adj2 tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:16
L11	3	(collect$3 adj2 tags) with (command$3 adj2 tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:17
L12	4	(collect$3 adj2 tags) same (command$3 adj2 tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:18
L13	82	(collect$3 adj2 tags) and (command$3 adj2 tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:38
L14	4	(collect$3 adj2 tags) and (command$3 adj2 tags) and java and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:23
L15	7	(bean adj1 tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:28
L16	1	(bean adj1 tags) with mail$1 and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:23

EAST Search History

L17	1	(bean adj1 tags) same 'mail$1 and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:23
L18	1	(bean adj1 tags) same mail$1 and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:23
L19	1	(bean with tags) same mail$1 and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:23
L20	3	"20040205550"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:28
L21	113	(extend$3 with mail with functions) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:39
L22	15	(extend$3 with mail with functions) and java and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:40
L23	2	(extend$3 with ((mail email e-mail) adj2 functions)) and java and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:40
L24	9	((extend$3 add$3) with ((mail email e-mail) adj2 functions)) and java and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 15:30

EAST Search History

L25	3	("6718321").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:30
L26	2	("20040205550").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:30
S1	3	"709"/$.ccls. and (email near2 server$1).ti. and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:08
S2	26	"709"/$.ccls. and (mail$3 near2 server$1).ti. and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:10
S3	0	"709"/$.ccls. and (mail$3 near2 server$1).ti. and @ad<="20011116" and (wireless or WAP) and (WML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:10
S4	4	"709"/$.ccls. and (mail$3 near2 server$1).ti. and @ad<="20011116" and (wireless or WAP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:10
S5	0	"709"/$.ccls. and (mail$3 near2 server$1).ti. and @ad<="20011116" and (wireless or WAP) and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:10
S6	5	"709"/$.ccls. and (mail$3 and server$1).ti. and java and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:12

EAST Search History

S7	83	"709"/$.ccls. and (mail$3 and server$1).ab. and java and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:12
S8	34	"709"/$.ccls. and (mail$3 and server$1).ab. and java and wireless and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:13
S9	4	"709"/$.ccls. and (electronic and mail).ti. and java and wireless and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:14
S10	4	"709"/$.ccls. and (electronic near1 mail).ti. and java and wireless and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:15
S11	19	"709"/$.ccls. and (e-mail).ti. and java and wireless and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:24
S12	2	"709"/$.ccls. and (mail and application$1).ti. and java and wireless and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 17:41
S13	0	"709"/$.ccls. and (mail and application$1).ab. and (add$3 near2 mail near4 function$1) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 17:42
S14	5	"709"/$.ccls. and (add$3 near2 mail near4 function$1) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 17:44

S15	3	"709"/$.ccls. and email with (add$3 near2 function$1) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 17:46
S16	2	"709"/$.ccls. and email with (add$3 near2 email near1 service) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 17:46
S17	1	"709"/$.ccls. and email with (add$3 near2 email near1 services) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 17:48
S18	1	"709"/$.ccls. and (add$3 with email near1 services) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 17:49
S19	1	"709"/$.ccls. and (add$3 with email near1 function$1) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 17:49
S20	6	"709"/$.ccls. and (add$3 with mail near1 function$1) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 17:51
S21	4	"709"/$.ccls. and (add$3 with mail near1 option$1) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 17:53
S22	4	"709"/$.ccls. and (addition$3 with mail near1 option$1) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 18:01

EAST Search History

S23	9	"709"/$.ccls. and email.ti. and (addition$3 with function$1) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 18:01
S24	6	"709"/$.ccls. and email.ti. and (add$5 near2 function$1) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 18:13
S25	0	"709"/$.ccls. and email.ti. and (additional near2 tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 18:13
S26	3	"709"/$.ccls. and mail.ti. and (additional near2 tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 18:13
S27	1	("20020087628").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/09 15:36
S28	1	("5948058").PN.	USPAT; USOCR	OR	OFF	2006/05/10 08:49
S29	15	java and (email with creat$3 with functions)and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 08:53
S30	5	java and (creat$3 with email adj3 functions)and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 08:53
S31	38309328	"709"/$.ccls. and applets and@ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 10:19

EAST Search History

S32	524	applets with tags and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 10:19
S33	14	applets with tags same (mail email e-mail) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 10:21
S34	0	applets with tags same (mail email e-mail) and (jsp "java server page")and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 10:23
S35	15	applets with tags and (mail email e-mail) and (jsp "java server page")and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 10:24
S36	5	applets with tags and (mail email e-mail) same(jsp "java server page")and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:42
S37	0	(jsp adj1 tm) with tags and (mail email e-mail) same(jsp "java server page")and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:43
S38	0	((jsp "java server page") adj1 tm) with tags and (mail email e-mail) same(jsp "java server page")and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:43
S39	0	((jsp "java server page") adj3 tm) with tags and (mail email e-mail) same(jsp "java server page")and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:43

EAST Search History

S40	0	((jsp "java server pages") adj3 tm) with tags and (mail email e-mail) same(jsp "java server page")and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:44
S41	70	((jsp "java server pages") adj3 tm) (mail email e-mail) same(jsp "java server page")and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:44
S42	0	((jsp "java server pages") adj3 tm) and (mail email e-mail) same(jsp "java server page")and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:44
S43	1	((jsp "java server pages") adj3 tm) and (mail email e-mail)and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:46
S44	3	((jsp "java server pages") adj1 tm) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:49
S45	2	("6957521").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 11:48
S46	2	("6957251").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 11:48
S47	8	((jsp "javaserver pages") adj1 tm) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:04

EAST Search History

S48	21626818	((jsp "javaserver pages") adj1 tm) and calendar @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:05
S49	1	((jsp "javaserver pages") adj1 tm) and mail and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:05
S50	1	((jsp "javaserver pages") adj1 tm) and (email e-mail mail) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:06
S51	1	((jsp "javaserver pages") adj2 tm) and (email e-mail mail) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:06
S52	3	((jsp "javaserver pages") with tm) and (email e-mail mail) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:08
S53	33	((server)adj1 tm) and (email e-mail mail) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:08
S54	86	((Java)adj1 tm) and (email e-mail mail) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:08
S55	13	((Java)adj1 tm) and ((email e-mail mail) with functions) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:09

S56	0	((Java)adj1 tm) same ((email e-mail mail) with functions) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:09
S57	0	((Java)adj1 tm) same ((email e-mail mail)) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:10
S58	98602	((Java)adj1 tm) wiht ((email e-mail mail)) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:09
S59	86	((Java)adj1 tm) and ((email e-mail mail)) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:10
S60	1	((Java)adj1 tm) and ((email e-mail mail)with tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:15
S61	2	((Java)adj1 tm) and ((email e-mail mail)same tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:17
S62	35	((Java)adj1 tm) and ((email e-mail mail) and tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:17
S63	0	((Java)adj1 tm) and ((email e-mail mail) and tags).ab. and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:17

S64	0	((email e-mail mail) and tags).ab. and ((Java)adj1 tm) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:18
S65	0	((email e-mail mail) and tags)same((Java)adj1 tm) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:18
S66	35	((email e-mail mail) and tags)and((Java)adj1 tm) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:21
S67	1	((email e-mail mail) with tags)and((Java)adj1 tm) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:21
S68	0	"Saare.inv"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:38
S69	0	"Saare.inv"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:38
S70	0	"a method and system for an extensible client address book application".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:39
S71	0	("a method and system for an extensible client address book application")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:39

EAST Search History

S72	0	("an extensible client address book application")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:39
S73	0	("extensible with book with application")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:40
S74	8	(extensible with book with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:41
S75	16225	(mail with functions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:41
S76	3	(mail with functions)and (bean with tags)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:41
S77	1	(mail with functions)and (bean with tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:42
S78	1	(mail same functions)and (bean with tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:42
S79	2	(mail same functions)and (bean same tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:44

EAST Search History

S80	24	(mail)and (bean same tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:44
S81	1	(mail) same (bean same tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:44
S82	24	(mail email e-mail) and(bean same tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:44
S83	19	(mail email e-mail) and(bean with tags) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:44
S84	19	(mail email e-mail) and(bean with tags)and java and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:45
S85	2	(access$3 with (mail email e-mail)) and(bean with tags)and java and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:51
S86	0	(access$3 with (mail email e-mail)) with (java adj1 tm) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:52
S87	0	(access$3 with (mail email e-mail)) with (java with tm) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:52

S88	49	(access$3 with (mail email e-mail)) with (java) and @ad<="20011116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 12:52